

## Large Diameter / Stationary Cut-Off Wheels - Heavy Duty Cut-Off Wheels - Aluminum Oxide

PFERD Grinding & Cut-off Wheels offer world-leading performance. For free-hand, portable, chop and stationary saws.

If you operate demo saws or stationary saws, check out PFERD's wide catalog selection of blades. PFERD Portable blades are available for steel, stone, ductile, rail & decking, and masonry/aluminum. Stationary blades are available for low to high powered saws, for cutting all materials. PFERD also offers a complete technical service to match the correct wheel to your saw based on your application, or to develop special wheels to suit exacting demand in higher volume applications.



EDP	Diameter	Thickness (Inches)	Thickness (mm)	Arbor Hole	Grit	Max. RPM	Peripheral Speed	
66113	10	3/32	2.4	5/8	36	6,100	80 m/s	<a href="#">Request Info</a>
66114	10	3/32	2.4	1	36	6,100	80 m/s	<a href="#">Request Info</a>
66115	12	1/8	3.4	1	24	5,100	80 m/s	<a href="#">Request Info</a>
66116	14	1/8	3.8	1	24	4,400	80 m/s	<a href="#">Request Info</a>
66117	16	1/8	4.0	1	24	3,800	80 m/s	<a href="#">Request Info</a>
66005	20	3/16	4.5	1	24	3,100	80 m/s	<a href="#">Request Info</a>
66006	20	3/16	4.5	1-1/4	24	3,100	80 m/s	<a href="#">Request Info</a>
66007	20	3/16	4.5	1-1/2	24	3,100	80 m/s	<a href="#">Request Info</a>
66123	20	3/16	5.5	1	24	3,100	80 m/s	<a href="#">Request Info</a>
66125	20	3/16	5.5	1-1/2	24	3,100	80 m/s	<a href="#">Request Info</a>
66126	24	3/16	4.8	1	24	2,550	80 m/s	<a href="#">Request Info</a>
66132	26	1/4	6.5	1	24	2,550	80 m/s	<a href="#">Request Info</a>
66134	26	1/4	6.5	1-1/2	24	2,550	80 m/s	<a href="#">Request Info</a>
66135	26	1/4	6.5	1-3/4	24	2,550	80 m/s	<a href="#">Request Info</a>
66009	10	1/8	3.2	5/8	24	7,600	100 m/s	<a href="#">Request Info</a>
66010	10	1/8	3.2	1	24	7,600	100 m/s	<a href="#">Request Info</a>
66011	12	1/8	3.0	1	24	6,400	100 m/s	<a href="#">Request Info</a>
66012	14	1/8	4.0	1	24	5,500	100 m/s	<a href="#">Request Info</a>
66013	16	3/16	4.4	1	24	4,800	100 m/s	<a href="#">Request Info</a>
66014	16	1/8	4.0	1-1/4	24	4,800	100 m/s	<a href="#">Request Info</a>
66015	16	3/16	4.6	1-1/2	24	4,800	100 m/s	<a href="#">Request Info</a>
66016	18	3/16	5.0	1	24	4,200	100 m/s	<a href="#">Request Info</a>
66019	20	1/4	5.7	1	24	3,800	100 m/s	<a href="#">Request Info</a>
66021	20	1/4	5.8	1-1/2	24	3,800	100 m/s	<a href="#">Request Info</a>
66022	24	1/4	6.0	1	24	3,200	100 m/s	<a href="#">Request Info</a>
66026	24	1/4	6.0	1-1/2	24	3,200	100 m/s	<a href="#">Request Info</a>