

Rotary hammer with SDS-max

GBH 7-46 DE Professional

The sturdy, powerful tool

- The most powerful hammer in its class thanks to its powerful 1350-watt motor
- Extremely high material removal rate when chiseling thanks to Turbo-Power with a single impact force of up to 15 J
- Long lifetime due to robust metal components
- Best ease of use thanks to individually controllable speed, lockable switch in chiseling operation and new, ergonomic auxiliary handle

Scope of delivery

Part no. 0 611 263 703

- Carrying case (2 605 438 396)
- Auxiliary handle (2 602 025 103)
- Machine cloth
- Grease tube (ET no. 1 615 430 010)

Package (L/W/H) 630 x 420 x 145 mm

Voltage, electrical 230 V

Technical data

Rated power input	1.350 W
Impact energy	2 – 15 J
Impact rate at rated speed	1.375 – 2.800 bpm
Rated speed	145 – 280 rpm
Weight without cable	8,2 kg
Length	545 mm
Width	288 mm
Height	105 mm
Tool holder	SDS-max

Drilling range

Drilling diameter in concrete with hammer drill bits	12 – 45 mm
--	------------

Optimum range of applications in concrete with hammer drill bits 25 – 40 mm

Drilling diameter in concrete with breakthrough drill bits 45 – 80 mm

Drilling diameter in concrete with core cutters 40 – 150 mm

Functions

- Constant Electronic
- Overload clutch